

**Water Well Log and Drilling Report**

Ohio Department of Natural Resources  
Division of Water  
Phone: 614-265-6740 Fax: 614-265-6767

Y

Well Log Number: 135819

**ORIGINAL OWNER AND LOCATION**

Original Owner Name: NON RESPONSIVE

County: BUTLER

Address: NON RESPONSIVE

City:

Location Number:

Latitude:

Township: ST. CLAIR

State: OH

Location Map Year: 1989

Longitude:

Section Number: 15

Lot Number:

Zip Code:

Location Area:

**CONSTRUCTION DETAILS**

Borehole Diameter:

Casing Diameter: 4.25 in.

Well Use:

Aquifer Type: SAND AND GRAVEL

Depth to Bedrock:

Casing Thickness:

Screen Length:

Driller's Name: TREADWAY DRILLING

Total Depth: 33 ft.

Casing Length: 33 ft.

Date of Completion: 10/18/1954

**WELL TEST DETAILS**

Static Water Level: 13 ft.

Drawdown: 4 ft.

Test Rate: 6 gpm

Test Duration: 1 hrs.

Associated Reports

NONE

**COMMENTS:****WELL LOG**Formations

TOP SOIL

SAND &amp; GRAVEL

From To

0 - 5

5 - 33

Printing Tips (opens in new window)

OR use your browsers back button to see the last list of addresses or roads.

Well log questions - Web site questions - Web policies



# Water Well Log and Drilling Report

Ohio Department of Natural Resources  
Division of Water  
Phone: 614-265-6740 Fax: 614-265-6767

Well Log Number: 220464

## ORIGINAL OWNER AND LOCATION

Original Owner Name: **NON RESPONSIVE**  
County: BUTLER  
Address: **NON RESPONSIVE**  
City:  
Location Number:  
Latitude:

Township: ST. CLAIR  
State: OH  
Location Map Year: 1969  
Longitude:

Section Number:  
Lot Number:  
Zip Code:  
Location Area:

## CONSTRUCTION DETAILS

Borehole Diameter:  
Casing Diameter: 5 in.  
Well Use:  
Aquifer Type: SAND AND GRAVEL

Depth to Bedrock:  
Casing Thickness:  
Screen Length:  
Driller's Name: TREADWAY V L

Total Depth: 40 ft.  
Casing Length: 40 ft.  
Date of Completion: 1/9/1959

## WELL TEST DETAILS

Static Water Level: 20 ft.  
Drawdown:

Test Rate:  
Test Duration:

Associated Reports  
NONE

## COMMENTS:

## WELL LOG

Materials  
ID & GRAVEL  
WATER AT

From To  
0 - 40  
30 - 30

[Printing Tips](#) (opens in new window)

OR use your browsers back button to see the last list of addresses or roads.

[Well log questions](#) - [Web site questions](#) - [Web policies](#)



## Water Well Log and Drilling Report

Ohio Department of Natural Resources  
Division of Water  
Phone: 614-265-6740 Fax: 614-265-6767

Well Log Number: 196479

### ORIGINAL OWNER AND LOCATION

Original Owner Name: BROENING  
County: BUTLER  
Address: 2001 CALDWELL STREET  
City:  
Location Number:  
Latitude:

Township: ST. CLAIR  
State: OH  
Location Map Year: 1969  
Longitude:

Section Number: 15  
Lot Number:  
Zip Code:  
Location Area:

### CONSTRUCTION DETAILS

Borehole Diameter:  
Casing Diameter: 4 in.  
Well Use:  
Aquifer Type: GRAVEL

Depth to Bedrock:  
Casing Thickness:  
Screen Length:  
Driller's Name:

Total Depth: 31 ft.  
Casing Length: 31 ft.  
Date of Completion: 9/11/1963

### WELL TEST DETAILS

Static Water Level:  
Drawdown:

Test Rate:  
Test Duration:

Associated Reports  
NONE

### COMMENTS:

### WELL LOG

Formations  
TOP SOIL  
GRAVEL

From	To
0	1
1	31

Printing Tips (opens in new window)

OR use your browsers back button to see the last list of addresses or roads.

Well log questions - Web site questions - Web policies

## Water Well Log and Drilling Report

Ohio Department of Natural Resources  
Division of Water  
Phone: 614-265-6740 Fax: 614-265-6767

Well Log Number: 408646

### ORIGINAL OWNER AND LOCATION

Original Owner Name: **NON RESPONSIVE**

County: **BUTLER**

Address: **NON RESPONSIVE**

City:

Location Number:

Latitude:

Township: **ST. CLAIR**

State: **OH**

Location Map Year: **1988**

Longitude:

Section Number: **15**

Lot Number:

Zip Code:

Location Area:

### CONSTRUCTION DETAILS

Borehole Diameter:

Casing Diameter: **6 in.**

Well Use:

Aquifer Type: **SAND AND GRAVEL**

Depth to Bedrock:

Casing Thickness:

Screen Length:

Driller's Name: **TREADWAY V L**

Total Depth: **45 ft.**

Casing Length: **45 ft.**

Date of Completion: **3/2/1971**

### WELL TEST DETAILS

Static Water Level: **15 ft.**

Drawdown: **0 ft.**

Test Rate: **1 gpm**

Test Duration: **1 hrs.**

Associated Reports

**NONE**

### COMMENTS:

### WELL LOG

**nations**  
**ND & GRAVEL**  
**TOP SOIL**  
**WATER AT**

From	To
0	- 45
45	- 45
18	- 18

[Printing Tips](#) (opens in new window)

OR use your browsers back button to see the last list of addresses or roads.

[Well log questions](#) - [Web site questions](#) - [Web policies](#)

4

**Water Well Log and Drilling Report**

Ohio Department of Natural Resources  
Division of Water  
Phone: 614-265-6740 Fax: 614-265-6767

Well Log Number: 670166

**ORIGINAL OWNER AND LOCATION**

Original Owner Name: NON RESPONSIVE

County: BUTLER

Address: NON RESPONSIVE

City:

Location Number:

Latitude:

Township: ST. CLAIR

State: OH

Location Map Year:

Longitude:

Section Number:

Lot Number:

Zip Code:

Location Area:

**CONSTRUCTION DETAILS**

Borehole Diameter:

Casing Diameter: 6.63 in.

Well Use:

Aquifer Type: SAND AND GRAVEL

Depth to Bedrock:

Casing Thickness:

Screen Length: 4 ft.

Driller's Name: TREADWAY WELL DRILLING

Total Depth: 52 ft.

Casing Length: 49 ft.

Date of Completion: 10/23/1987

**WELL TEST DETAILS**

Static Water Level: 25 ft.

Drawdown:

Test Rate: 30 gpm

Test Duration: 1 hrs.

Associated Reports

NONE

**COMMENTS:****WELL LOG****Formations**

TOP SOIL

SAND &amp; GRAVEL

CLAY

SAND &amp; GRAVEL

**From To**

0 - 3

3 - 33

33 - 46

46 - 52

[Printing Tips](#) (opens in new window)

OR use your browsers back button to see the last list of addresses or roads.

[Well log questions](#) - [Web site questions](#) - [Web policies](#)



## Water Well Log and Drilling Report

Ohio Department of Natural Resources  
Division of Water  
Phone: 614-265-6740 Fax: 614-265-6767

Well Log Number: 200281

### ORIGINAL OWNER AND LOCATION

Original Owner Name: **NON RESPONSIVE**

County: BUTLER

Address: **NON RESPONSIVE**

City:

Location Number:

Latitude:

Township: ST. CLAIR

State: OH

Location Map Year: 1969

Longitude:

Section Number: 15

Lot Number:

Zip Code:

Location Area:

### CONSTRUCTION DETAILS

Borehole Diameter:

Casing Diameter: 4.25 in.

Well Use:

Aquifer Type: SAND AND GRAVEL

Depth to Bedrock:

Casing Thickness:

Screen Length:

Driller's Name: TREADWAY V L

Total Depth: 50 ft.

Casing Length: 50 ft.

Date of Completion: 11/14/1957

### WELL TEST DETAILS

Static Water Level: 25 ft.

Drawdown:

Test Rate:

Test Duration:

Associated Reports

NONE

### COMMENTS:

### WELL LOG

ations  
D & GRAVEL

From To  
0 - 50

Printing Tips (opens in new window)

OR use your browsers back button to see the last list of addresses or roads.

Well log questions - Web site questions - Web policies



## Water Well Log and Drilling Report

Ohio Department of Natural Resources  
Division of Water  
Phone: 614-265-6740 Fax: 614-265-6767

Well Log Number: 116692

### ORIGINAL OWNER AND LOCATION

Original Owner Name: **NON RESPONSIVE**

County: BUTLER

Address: **NON RESPONSIVE**

City:

Location Number:

Latitude:

Township: ST. CLAIR

State: OH

Location Map Year: 1969

Longitude:

Section Number:

Lot Number:

Zip Code:

Location Area:

### CONSTRUCTION DETAILS

Borehole Diameter:

Casing Diameter: 4 in.

Well Use:

Aquifer Type: SAND AND GRAVEL

Depth to Bedrock:

Casing Thickness:

Screen Length:

Driller's Name: TREADWAY V L

Total Depth: 35 ft.

Casing Length: 35 ft.

Date of Completion: 12/2/1953

### WELL TEST DETAILS

Static Water Level: 20 ft.

Drawdown:

Test Rate:

Test Duration:

Associated Reports

NONE

### COMMENTS:

### WELL LOG

Formations

TOP SOIL

SAND & GRAVEL

From To

0 - 2

2 - 35

Printing Tip (opens in new window)

  
OR use your browsers back button to see the last list of addresses or roads.

[Well log questions](#) - [Web site questions](#) - [Web policies](#)

**ORIGINAL**

State of Ohio  
DEPARTMENT OF NATURAL RESOURCES  
Division of Water  
65 S. Front St., Rm. 815 Phone (614) 469-2646  
Columbus, Ohio 43215

**No. 397759**

**Owner****Location**

Drilling Firm V. L. Treadway Date Aug. 28, 1969  
Address 330 Mill St. Signed V. L. Treadway  
Somerville, O.

\*If additional space is needed to complete well log, use next consecutive numbered form.



## Water Well Log and Drilling Report

Ohio Department of Natural Resources  
Division of Water  
Phone: 614-265-6740 Fax: 614-265-6767

Well Log Number: 79269

### ORIGINAL OWNER AND LOCATION

Original Owner Name: **NON RESPONSIVE**

County: BUTLER

Address: **NON RESPONSIVE**

City:

Location Number:

Latitude:

Township: ST. CLAIR

State: OH

Location Map Year: 1989

Longitude:

Section Number:

Lot Number:

Zip Code:

Location Area:

### CONSTRUCTION DETAILS

Borehole Diameter:

Casing Diameter: 4 in.

Well Use:

Aquifer Type: GRAVEL

Depth to Bedrock:

Casing Thickness:

Screen Length:

Driller's Name: TAGGART PUMP REPAIR & WELL DRLG

Total Depth: 42 ft.

Casing Length: 42 ft.

Date of Completion: 3/5/1953

### WELL TEST DETAILS

Static Water Level: 23 ft.

Drawdown:

Test Rate:

Test Duration:

Associated Reports

NONE

### COMMENTS:

### WELL LOG

#### Formations

GRAVEL

CLAY

GRAVEL

WATER AT

#### From To

0 - 20

20 - 36

36 - 42

42 - 42

[Printing Tips](#) (opens in new window)

OR use your browsers back button to see the last list of addresses or roads.

[Well log questions](#) - [Web site questions](#) - [Web policies](#)



## Water Well Log and Drilling Report

Ohio Department of Natural Resources  
Division of Water  
Phone: 614-265-6740 Fax: 614-265-6767

4

Well Log Number: 470684

### ORIGINAL OWNER AND LOCATION

Original Owner Name: **NON RESPONSIVE**

County: BUTLER

Address: **NON RESPONSIVE**

City:

Location Number:

Latitude:

Township: ST. CLAIR

State: OH

Location Map Year: 1988

Longitude:

Section Number:

Lot Number:

Zip Code:

Location Area:

### CONSTRUCTION DETAILS

Borehole Diameter:

Casing Diameter: 6.63 in.

Well Use:

Aquifer Type: SAND AND GRAVEL

Depth to Bedrock:

Casing Thickness:

Screen Length:

Driller's Name: TREADWAY DRILLING

Total Depth: 31 ft.

Casing Length: 31 ft.

Date of Completion: 7/27/1974

### WELL TEST DETAILS

Static Water Level: 28 ft.

Drawdown:

Test Rate: 1 gpm

Test Duration: 1 hrs.

Associated Reports

NONE

### COMMENTS:

### WELL LOG

Locations  
SOIL  
SAND & GRAVEL

From To

0 - 2

2 - 31

Printing Tips (opens in new window)



OR use your browsers back button to see the last list of addresses or roads.

[Well log questions](#) - [Web site questions](#) - [Web policies](#)



## Water Well Log and Drilling Report

Ohio Department of Natural Resources  
Division of Water  
Phone: 614-265-6740 Fax: 614-265-6767

Well Log Number: 630170

### ORIGINAL OWNER AND LOCATION

Original Owner Name: **NON RESPONSIVE**

County: BUTLER

Address: **NON RESPONSIVE**

City:

Location Number:

Latitude:

Township: ST. CLAIR

State: OH

Location Map Year: 1988

Longitude:

Section Number:

Lot Number:

Zip Code:

Location Area:

### CONSTRUCTION DETAILS

Borehole Diameter:

Casing Diameter: 6 in.

Well Use:

Aquifer Type: SAND AND GRAVEL

Depth to Bedrock:

Casing Thickness:

Screen Length:

Driller's Name: TREADWAY DRILLING

Total Depth: 40 ft.

Casing Length: 41 ft.

Date of Completion: 7/23/1988

### WELL TEST DETAILS

Static Water Level: 18 ft.

Drawdown: 5 ft.

Test Rate: 30 gpm

Test Duration: 1 hrs.

Associated Reports

NONE

### COMMENTS:

### WELL LOG

#### Formations

TOP SOIL

SAND & GRAVEL

From To

0 - 2

2 - 40

[Printing Tips](#) (opens in new window)

OR use your browsers back button to see the last list of addresses or roads.

[Well log questions](#) - [Web site questions](#) - [Web policies](#)



## Water Well Log and Drilling Report

Ohio Department of Natural Resources  
Division of Water  
Phone: 614-265-6740 Fax: 614-265-6767

Y

Well Log Number: 655788

### ORIGINAL OWNER AND LOCATION

Original Owner Name: GREENHILLS UNITED BA  
County: BUTLER  
Address: 2087 FENTON STREET  
City:  
Location Number:  
Latitude:

Township: ST. CLAIR  
State: OH  
Location Map Year: 1988  
Longitude:

Section Number:  
Lot Number:  
Zip Code:  
Location Area:

### CONSTRUCTION DETAILS

Borehole Diameter:  
Casing Diameter: 6 in.  
Well Use:  
Aquifer Type: SAND AND GRAVEL

Depth to Bedrock:  
Casing Thickness:  
Screen Length:  
Driller's Name: TREADWAY DRILLING  
Total Depth: 42 ft.  
Casing Length: 42 ft.  
Date of Completion: 11/29/1988

### WELL TEST DETAILS

Static Water Level: 15 ft.  
Drawdown: 2 ft.

Test Rate: 1 gpm  
Test Duration: 0.5 hrs.

Associated Reports  
NONE

### COMMENTS:

### WELL LOG

nations  
WELL  
SAND & GRAVEL

From	To
0	20
20	42

[Printing Tips](#) (opens in new window)

OR use your browsers back button to see the last list of addresses or roads.

[Well log questions](#) - [Web site questions](#) - [Web policies](#)



## Water Well Log and Drilling Report

Ohio Department of Natural Resources  
Division of Water  
Phone: 614-265-6740 Fax: 614-265-6767

Well Log Number: 172369

### ORIGINAL OWNER AND LOCATION

Original Owner Name: **NON RESPONSIVE**

County: BUTLER

Address: **NON RESPONSIVE**

City:

Location Number:

Latitude:

Township: ST. CLAIR

State: OH

Location Map Year: 1969

Longitude:

Section Number:

Lot Number:

Zip Code:

Location Area:

### CONSTRUCTION DETAILS

Borehole Diameter:

Casing Diameter: 4 in.

Well Use:

Aquifer Type: SAND AND GRAVEL

Depth to Bedrock:

Casing Thickness:

Screen Length:

Driller's Name: VANDERPOOL HERBERT

Total Depth: 41 ft.

Casing Length: 41 ft.

Date of Completion: 7/17/1959

### WELL TEST DETAILS

Static Water Level: 19 ft.

Drawdown:

Test Rate:

Test Duration:

Associated Reports

NONE

### COMMENTS:

### WELL LOG

Formations

SAND & GRAVEL

From To

0 - 41

Printing Tips (opens in new window)

  
OR use your browsers back button to see the last list of addresses or roads.

[Well log questions](#) - [Web site questions](#) - [Web policies](#)



## Water Well Log and Drilling Report

Ohio Department of Natural Resources  
Division of Water  
Phone: 614-265-6740 Fax: 614-265-6767

Y

Well Log Number: 133913

### ORIGINAL OWNER AND LOCATION

Original Owner Name: **NON RESPONSIVE**

County: BUTLER

Address: **NON RESPONSIVE**

City:

Location Number:

Latitude:

Township: ST. CLAIR

State: OH

Location Map Year: 1969

Longitude:

Section Number: 15

Lot Number:

Zip Code:

Location Area:

### CONSTRUCTION DETAILS

Borehole Diameter:

Casing Diameter: 4 in.

Well Use:

Aquifer Type: SAND AND GRAVEL

Depth to Bedrock:

Casing Thickness:

Screen Length:

Driller's Name: VANDERPOOL HERBERT

Total Depth: 41 ft.

Casing Length: 41 ft.

Date of Completion: 12/20/1954

### WELL TEST DETAILS

Static Water Level: 20 ft.

Drawdown:

Test Rate:

Test Duration:

Associated Reports

NONE

### COMMENTS:

### WELL LOG

ations  
ND & GRAVEL

From To  
0 - 41

Printing Tips (opens in new window)

OR use your browsers back button to see the last list of addresses or roads.

Well log questions - Web site questions - Web policies



## Water Well Log and Drilling Report

Ohio Department of Natural Resources  
Division of Water  
Phone: 614-265-6740 Fax: 614-265-6767

Well Log Number: 133905

### ORIGINAL OWNER AND LOCATION

Original Owner Name: **NON RESPONSIVE**

County: BUTLER

Address: **NON RESPONSIVE**

City:

Location Number:

Latitude:

Township: ST. CLAIR

State: OH

Location Map Year: 1989

Longitude:

Section Number:

Lot Number:

Zip Code:

Location Area:

### CONSTRUCTION DETAILS

Borehole Diameter:

Casing Diameter: 4 in.

Well Use:

Aquifer Type: SAND AND GRAVEL

Depth to Bedrock:

Casing Thickness:

Screen Length:

Driller's Name: VANDERPOOL HERBERT

Total Depth: 40 ft.

Casing Length: 40 ft.

Date of Completion: 11/29/1954

### WELL TEST DETAILS

Static Water Level: 22 ft.

Drawdown:

Test Rate:

Test Duration:

Associated Reports

NONE

### COMMENTS:

### WELL LOG

Formations

SAND & GRAVEL

From To

0 - 40'

Printing Tips (opens in new window)

OR use your browsers back button to see the last list of addresses or roads.

Well log questions - Web site questions - Web policies



## Water Well Log and Drilling Report

Ohio Department of Natural Resources  
Division of Water  
Phone: 614-265-6740 Fax: 614-265-6767

Well Log Number: 133906

### ORIGINAL OWNER AND LOCATION

Original Owner Name: **NON RESPONSIVE**

County: **BUTLER**

Address: **NON RESPONSIVE**

City:

Location Number:

Latitude:

Township: **ST. CLAIR**

State: **OH**

Location Map Year: 1969

Longitude:

Section Number: 15

Lot Number:

Zip Code:

Location Area:

### CONSTRUCTION DETAILS

Borehole Diameter:

Casing Diameter: 4 in.

Well Use:

Aquifer Type: **SAND AND GRAVEL**

Depth to Bedrock:

Casing Thickness:

Screen Length:

Driller's Name: **VANDERPOOL HERBERT**

Total Depth: 33 ft.

Casing Length: 33 ft.

Date of Completion: 11/30/1954

### WELL TEST DETAILS

Static Water Level: 15 ft.

Drawdown:

Test Rate:

Test Duration:

Associated Reports

**NONE**

### COMMENTS:

### WELL LOG

**materials**

**SD & GRAVEL**

From To

0 - 33

Printing Tips (opens in new window)


OR use your browsers back button to see the last list of addresses or roads.

[Well log questions](#) - [Web site questions](#) - [Web policies](#)



## Water Well Log and Drilling Report

Ohio Department of Natural Resources  
Division of Water  
Phone: 614-265-6740 Fax: 614-265-6767



Well Log Number: 38182

### ORIGINAL OWNER AND LOCATION

Original Owner Name: **NON RESPONSIVE**

County: BUTLER

Address: **NON RESPONSIVE**

City:

Location Number:

Latitude:

Township: ST. CLAIR

State: OH

Location Map Year: 1969

Longitude:

Section Number: 15

Lot Number:

Zip Code:

Location Area:

### CONSTRUCTION DETAILS

Borehole Diameter:

Casing Diameter: 4 in.

Well Use:

Aquifer Type: GRAVEL AND SAND

Depth to Bedrock:

Casing Thickness:

Screen Length:

Driller's Name:

Total Depth: 32 ft.

Casing Length: 32 ft.

Date of Completion: 9/12/1953

### WELL TEST DETAILS

Static Water Level: 11 ft.

Drawdown:

Test Rate:

Test Duration:

Associated Reports

NONE

### COMMENTS:

### WELL LOG

Formations

GRAVEL & SAND

WATER AT

From To

0 - 32

32 - 32

Printing Tips (opens in new window)

  
OR use your browsers back button to see the last list of addresses or roads.

[Well log questions](#) - [Web site questions](#) - [Web policies](#)



# Water Well Log and Drilling Report

Ohio Department of Natural Resources  
Division of Water  
Phone: 614-265-6740 Fax: 614-265-6767

Well Log Number: 38186

## ORIGINAL OWNER AND LOCATION

Original Owner Name: **NON RESPONSIVE**  
County: BUTLER  
Address: **NON RESPONSIVE**  
City:  
Location Number:  
Latitude:

Township: ST. CLAIR  
State: OH  
Location Map Year: 1969  
Longitude:

Section Number: 15  
Lot Number:  
Zip Code:  
Location Area:

## CONSTRUCTION DETAILS

Borehole Diameter:  
Casing Diameter: 4 in.  
Well Use:  
Aquifer Type: GRAVEL AND SAND

Depth to Bedrock:  
Casing Thickness:  
Screen Length:  
Driller's Name:

Total Depth: 31 ft.  
Casing Length: 31 ft.  
Date of Completion: 9/26/1953

## WELL TEST DETAILS

Static Water Level: 13.5 ft.  
Drawdown:

Test Rate:  
Test Duration:

Associated Reports  
NONE

## COMMENTS:

## WELL LOG

Locations  
GRAVEL & SAND  
WATER AT

From To  
0 - 31  
31 - 31

Printing Tips (opens in new window)

OR use your browsers back button to see the last list of addresses or roads.

Well log questions - Web site questions - Web policies

## Water Well Log and Drilling Report

Ohio Department of Natural Resources  
Division of Water  
Phone: 614-265-6740 Fax: 614-265-6767

Well Log Number: 701478

### ORIGINAL OWNER AND LOCATION

Original Owner Name: **NON RESPONSIVE**

County: BUTLER

Address: **NON RESPONSIVE**

City:

Location Number:

Latitude:

Township: ST. CLAIR

State: OH

Location Map Year:

Longitude:

Section Number:

Lot Number:

Zip Code:

Location Area:

### CONSTRUCTION DETAILS

Borehole Diameter:

Casing Diameter: 6.25 in.

Well Use: DOMESTIC

Aquifer Type: SAND AND GRAVEL

Depth to Bedrock:

Casing Thickness:

Screen Length:

Driller's Name: YEAGER WELL DRILLING & PUMPS

Total Depth: 50 ft.

Casing Length: 51 ft.

Date of Completion: 9/5/1989

### WELL TEST DETAILS

Static Water Level: 17 ft.

Drawdown: 5 ft.

Test Rate: 20 gpm

Test Duration: 1.5 hrs.

Associated Reports

NONE

### COMMENTS:

### WELL LOG

#### Formations

TOP SOIL

GRAVEL/SAND/CLAY

SAND & GRAVEL

#### From To

0 - 3

3 - 12

12 - 50

[Printing Tips](#) (opens in new window)

OR use your browsers back button to see the last list of addresses or roads.

[Well log questions](#) - [Web site questions](#) - [Web policies](#)



## Water Well Log and Drilling Report

Ohio Department of Natural Resources  
Division of Water  
Phone: 614-265-6740 Fax: 614-265-6767

Well Log Number: 135805

### ORIGINAL OWNER AND LOCATION

Original Owner Name: **NON RESPONSIVE**  
County: BUTLER  
Address: **NON RESPONSIVE**  
City:  
Location Number:  
Latitude:

Township: ST. CLAIR

Section Number:

Lot Number:

State: OH

Zip Code:

Location Map Year: 1969

Location Area:

Longitude:

### CONSTRUCTION DETAILS

Borehole Diameter:  
Casing Diameter: 4 in.  
Well Use:  
Aquifer Type: SAND AND GRAVEL

Depth to Bedrock:

Total Depth: 31 ft.

Casing Thickness:

Casing Length: 31 ft.

Screen Length:

Date of Completion: 8/9/1954

Driller's Name: TREADWAY DRILLING

### WELL TEST DETAILS

Static Water Level: 19 ft.  
Drawdown: 4 ft.

Test Rate: 6 gpm

Associated Reports

Test Duration: 0.5 hrs.

NONE

### COMMENTS:

### WELL LOG

Soils  
SOIL  
SAND & GRAVEL

From To

0 - 6

6 - 31

[Printing Tips](#) (opens in new window)

OR use your browsers back button to see the last list of addresses or roads.

[Well log questions](#) - [Web site questions](#) - [Web policies](#)

# WELL LOG AND DRILLING REPORT

ORIGINAL

State of Ohio  
DEPARTMENT OF NATURAL RESOURCES  
Division of Water  
Columbus, Ohio

Nº 141206

County Butler Township St. Clair Section of Township or Lot Number Sec. 15

Owner

Location of

## CONSTRUCTION DETAILS

## PUMPING TEST

Casing diameter 6 1/2 Length of casing 45 feet  
Type of screen none Length of screen -  
Type of pump -  
Capacity of pump -  
Depth of pump setting -  
Pumping rate 1000 G.P.M. Duration of test hours  
Drawdown 18 ft. Date 5-21-58  
Developed capacity 1000 G.P.M.  
Static level—depth to water 16 feet ft.  
Pump installed by -

## WELL LOG

## SKETCH SHOWING LOCATION

Formations  
Sandstone, shale, limestone,  
gravel and clay


From To

0 Feet Ft.

Locate in reference to numbered  
State Highways, St. Intersections, County roads, etc.

N.

NON RESPONSIVE



S.

See reverse side for instructions

Drilling Firm North Hamilton  
Address 914 - Williams St

Date 5-21-58  
Signed Joe Piper

(55)

**ORIGINAL**

State of Ohio  
DEPARTMENT OF NATURAL RESOURCES  
Division of Water  
Fountain Square  
Columbus, Ohio 43224

502611

**OWNER.**

**BAILING OR PUMPING TEST**  
(Specify one by circling)

\*If additional space is needed to complete well log, use next consecutive numbered form.

47A

**NO CARBON PAPER  
NECESSARY-  
SELF-TRANSCRIBING**

State of Ohio  
DEPARTMENT OF NATURAL RESOURCES  
Division of Water  
Fountain Square  
Columbus, Ohio 43224

602446

COUNTY Butler TOWNSHIP St. Clair SECTION OF TOWNSHIP \_\_\_\_\_  
 OWNER NON RESPONSIVE  
 LOCATION \_\_\_\_\_

[illegible]

DRILLING FIRM TREADWAY WELL DRILLING  
P.O. BOX 234  
SEVEN MILE, OHIO 45082  
ADDRESS (513) 726-8629

DATE 12/13/82  
SIGNED Wm. Carl Keady

\* If additional space is needed to complete well log, use next consecutive numbered form.

**ORIGINAL COPY - ODNR, DIVISION OF WATER, FOUNTAIN SQ., COLS., OHIO 43224**

2003

**ORIGINAL**

State of Ohio  
DEPARTMENT OF NATURAL RESOURCES  
Division of Water  
65 S. Front St., Rm. 815 Phone (614) 469-2646  
Columbus, Ohio 43215

**No. 419573**

Yes

County Butler Township St. Clair Section of Township 14

## OWAGE

**Location**

NON RESPONSIVE

Drilling Firm V.L. Treadway

Date July 30, 1971

Address 330 Mill St. 0

Signed V. L. Treadway

Somerville, Q: 45064

\*If additional space is needed to complete well log, use next consecutive numbered form.

# WELL LOG AND DRILLING REPORT

ORIGINAL

NO CARBON PAPER  
NECESSARY—  
SELF-TRANSCRIBING


State of Ohio  
DEPARTMENT OF NATURAL RESOURCES  
Division of Water  
65 S. Front St., Rm. 815 Phone (614) 469-2646  
Columbus, Ohio 43215

No. 419580 V

County Butler Township St. Clair Section of Township 14

Owner

Location

CONSTRUCTION DETAILS			GAILING OR PUMPING TEST (Specify one by circling)	
Casing diameter <u>10" in</u>	Length of casing <u>20'</u>		Test Rate <u>5</u> G.P.M.	Duration of test <u>2</u> hr.
Type of screen	Length of screen		Drawdown <u>alt. ungt.</u>	Date <u>Aug. 26, 1971</u>
Type of pump			Static level-depth to water	<u>20'</u>
Capacity of pump			Quality (clear, cloudy, taste, odor)	<u>cloudy</u>
Depth of pump setting			Pump installed by <u>Plumber</u>	
Date of completion				
WELL LOG*			SKETCH SHOWING LOCATION	
Formations Sandstone, shale, limestone, gravel and clay	From	To	Locate in reference to numbered State Highways, St. Intersections, County roads, etc.	
<u>Topsoil &amp; yellow clay</u>	<u>0 Feet</u>	<u>15 Ft.</u>	<div style="text-align: center;">N.</div>  <div style="text-align: center;">S.</div>	
<u>Blue shale &amp; limestone</u>	<u>15</u>	<u>8.5</u>		
<u>Hit water at 20'.</u>				
<u>to 27'</u>				

Drilling Firm V.L. Treadway

Date August 28, 1971

Address 330 Mill St.  
Somerville, O.

Signed V.L. Treadway 942

\*If additional space is needed to complete well log, use next consecutive numbered form

2000



## Water Well Log and Drilling Report

Ohio Department of Natural Resources  
Division of Water  
Phone: 614-265-6740 Fax: 614-265-6767

Well Log Number: 212709

### ORIGINAL OWNER AND LOCATION

Original Owner Name: **NON RESPONSIVE**

County: BUTLER

Address: **NON RESPONSIVE**

City:

Location Number:

Latitude:

Township: ST. CLAIR

State: OH

Location Map Year: 1969

Longitude:

Section Number:

Lot Number:

Zip Code:

Location Area:

### CONSTRUCTION DETAILS

Borehole Diameter:

Casing Diameter: 4 in.

Well Use:

Aquifer Type: SAND AND GRAVEL

Depth to Bedrock:

Casing Thickness:

Screen Length:

Driller's Name: TAGGART PUMP REPAIR & WELL DRLG

Total Depth: 32 ft.

Casing Length: 32 ft.

Date of Completion: 9/15/1961

### WELL TEST DETAILS

Static Water Level: 25 ft.

Drawdown: 1 ft.

Test Rate: 10 gpm

Test Duration: 4 hrs.

Associated Reports

NONE

### COMMENTS:

### WELL LOG

Locations:

SOIL

GRAVEL

CLAY

SAND & GRAVEL

From To

0 - 4

4 - 20

20 - 25

25 - 32

[Printing Tips](#) (opens in new window)

OR use your browsers back button to see the last list of addresses or roads.

[Well log questions](#) - [Web site questions](#) - [Web policies](#)

**Water Well Log and Drilling Report**

Ohio Department of Natural Resources  
Division of Water  
Phone: 614-265-6740 Fax: 614-265-6767

Well Log Number: 566373

**ORIGINAL OWNER AND LOCATION**

Original Owner Name: **NON RESPONSIVE**

County: **BUTLER**

Address: **NON RESPONSIVE**

City:

Location Number:

Latitude:

Township: **ST. CLAIR**

State: **OH**

Location Map Year: 1988

Longitude:

Section Number: 15

Lot Number:

Zip Code:

Location Area:

**CONSTRUCTION DETAILS**

Borehole Diameter:

Casing Diameter: 6 in.

Well Use:

Aquifer Type: **SAND AND GRAVEL**

Depth to Bedrock:

Casing Thickness:

Screen Length:

Driller's Name: **TREADWAY DRILLING**

Total Depth: 40 ft.

Casing Length: 0 ft.

Date of Completion:

**WELL TEST DETAILS**

Static Water Level:

Drawdown:

Test Rate:

Test Duration:

Associated Reports

**NONE**

**COMMENTS:****WELL LOG**

Formations

TOP SOIL

SAND & GRAVEL

From To

0 - 2

2 - 40

Printing Tips (opens in new window)

OR use your browsers back button to see the last list of addresses or roads.

Well log questions - Web site questions - Web policies



## Water Well Log and Drilling Report

Ohio Department of Natural Resources  
Division of Water  
Phone: 614-265-6740 Fax: 614-265-6767

Well Log Number: 566373

### ORIGINAL OWNER AND LOCATION

Original Owner Name: **NON RESPONSIVE**

County: BUTLER

Address: **NON RESPONSIVE**

City:

Location Number:

Latitude:

Township: ST. CLAIR

State: OH

Location Map Year: 1988

Longitude:

Section Number: 15

Lot Number:

Zip Code:

Location Area:

### CONSTRUCTION DETAILS

Borehole Diameter:

Casing Diameter: 6 in.

Well Use:

Aquifer Type: SAND AND GRAVEL

Depth to Bedrock:

Casing Thickness:

Screen Length:

Driller's Name: TREADWAY DRILLING

Total Depth: 40 ft.

Casing Length: 0 ft.

Date of Completion:

### WELL TEST DETAILS

Static Water Level:

Drawdown:

Test Rate:

Test Duration:

Associated Reports

NONE

### COMMENTS:

### WELL LOG

ations

SOIL

SAND & GRAVEL

From To

0 - 2

2 - 40

[Printing Tips](#) (opens in new window)

OR use your browsers back button to see the last list of addresses or roads.

[Well log questions](#) - [Web site questions](#) - [Web policies](#)

**Water Well Log and Drilling Report**

Ohio Department of Natural Resources  
Division of Water  
Phone: 614-265-6740 Fax: 614-265-6767

Well Log Number: 566374

**ORIGINAL OWNER AND LOCATION**

Original Owner Name: **NON RESPONSIVE**

County: **BUTLER**

Address: **NON RESPONSIVE**

City:

Location Number:

Latitude:

Township: **ST. CLAIR**

State: **OH**

Location Map Year: 1988

Longitude:

Section Number: 15

Lot Number:

Zip Code:

Location Area:

**CONSTRUCTION DETAILS**

Borehole Diameter:

Casing Diameter: 6 in.

Well Use:

Aquifer Type: **SAND AND GRAVEL**

Depth to Bedrock:

Casing Thickness:

Screen Length:

Driller's Name: **TREADWAY DRILLING**

Total Depth: 40 ft.

Casing Length: 40 ft.

Date of Completion:

**WELL TEST DETAILS**

Static Water Level:

Drawdown:

Test Rate:

Test Duration:

Associated Reports

**NONE**

**COMMENTS:****WELL LOG**

Formations

TOP SOIL

SAND & GRAVEL

From To

0 - 2

2 - 40

Printing Tips (opens in new window)

OR use your browsers back button to see the last list of addresses or roads.

Well log questions - Web site questions - Web policies



## Water Well Log and Drilling Report

Ohio Department of Natural Resources  
Division of Water  
Phone: 614-265-6740 Fax: 614-265-6767

Well Log Number: 135817

### ORIGINAL OWNER AND LOCATION

Original Owner Name: **NON RESPONSIVE**

County: BUTLER

Address: **NON RESPONSIVE**

City:

Location Number:

Latitude:

Township: ST. CLAIR

State: OH

Location Map Year: 1989

Longitude:

Section Number: 15

Lot Number:

Zip Code:

Location Area:

### CONSTRUCTION DETAILS

Borehole Diameter:

Casing Diameter: 4 in.

Well Use:

Aquifer Type: SAND AND GRAVEL

Depth to Bedrock:

Casing Thickness:

Screen Length:

Driller's Name: TREADWAY DRILLING

Total Depth: 46 ft.

Casing Length: 46 ft.

Date of Completion: 9/27/1954

### WELL TEST DETAILS

Static Water Level: 27 ft.

Drawdown: 4 ft.

Test Rate: 6 gpm

Test Duration: 0.5 hrs.

Associated Reports

NONE

### COMMENTS:

### WELL LOG

Formations

> SOIL

SAND & GRAVEL

CLAY & HARDPAN

SAND & GRAVEL

From To

0 - 8

8 - 32

32 - 36

36 - 46

Printing Tips (opens in new window)

OR use your browsers back button to see the last list of addresses or roads.

Well log questions - Web site questions - Web policies